

Global Environmental Specialists
720 Third Avenue, Suite 1700

Seattle, Washington 98104 Tel: (206) 624-9537, Fax: (206) 621-9832

MEMORANDUM

DATE:

August 6, 2012

TO:

Steve Hall, START-3 Project Manager, E & E, Seattle, WA

FROM:

Mark Woodke, START-3 Chemist, E & E, Seattle, Washington

SUBJ:

Organic Data Quality Assurance Review, Avery Landing Site, Avery, Idaho

COC:

12-05-0006-22

REF:

TDDs: 12-05-0006

PANs: 002233.0790.01RA

12-05-0007

PANs: 002233.0791.01RA

12-05-0008

PANs: 002233.0792.01RA

12-05-0009

PANs: 002233.0793.01RA

The data quality assurance review of two soil samples collected from the Avery Landing Site (consisting of the Avery Bentcik, Avery IDOL, Avery FHWA, and Avery Potlatch sites) located in Avery, Idaho, has been completed. Selected Semivolatile Organic Compound (SVOC) analysis (EPA Method 8270D) was performed by GEL Labs, Inc., Charleston, South Carolina. All sample analyses were evaluated following EPA's Stage 2 Data Validation Manual Process (S2VM) and/or Stage 4 Data Validation Manual Process (S4VM).

The samples were numbered:

12060076

12060077

Data Qualifications:

1. Sample Holding Times: Acceptable.

The samples were maintained and received within the QC limits of $< 6^{\circ}$ C. The samples were collected on July 21, 2012, were extracted on July 24, 2012, and were analyzed on July 25, 2012, therefore meeting holding time criteria of less than 7 days between collection and extraction (14 days for soil) and less than 40 days between extraction and analysis.

2. Tuning: Acceptable.

Tuning was performed at the beginning of each 12-hour analysis sequence. All results were within QC limits.

3. Initial Calibration: Acceptable.

All average Relative Response Factors (RRFs) were within the QC limits. All Relative Standard Deviations (RSDs) were within the QC limits.

4. Continuing Calibration: Satisfactory.

All RRFs were within the QC limits. All % differences were within the QC limits except indeno(1,2,3-cd)pyrene, dibenzo(a,h)anthracene, and benzo(g,h,i) perylene with high recoveries in the 7-25 calibration and hexachlorocyclopentadiene and pentachlorophenol with low recoveries in the 7-26 calibration. Positive sample results associated with the high recovery outliers were qualified as estimated quantities with a high bias (JH). Positive results and sample quantitation limits associated with the low recovery outliers were qualified as estimated quantities with a low bias (JL and UJL, respectively).

5. Blanks: Acceptable.

A method blank was analyzed for each 20 sample batch per matrix. There were no detections in any method blank.

6. System Monitoring Compounds (SMCs): Acceptable.

All SMC recoveries were within QC limits.

7. Matrix Spike (MS)/MS Duplicate (MSD)/Blank Spike (BS) Analysis: Satisfactory.

All spike analyses were performed per SDG or per matrix per concentration level, whichever was more frequent. All recoveries were within the QC limits except pentachlorophenol with a low recovery in the BS (associated positive results and sample quantitation limits were qualified as estimated quantities with a low bias [JL and UJL, respectively]).

8. Duplicate Analysis: Satisfactory.

Spike duplicate analysis was performed per SDG or per matrix per concentration level, whichever was more frequent. All spike duplicate results were within QC limits except pyrene. No action was taken based on this outlier as the associated spike results were within QC limits.

9. Internal Standards: Acceptable.

All internal standards (IS) were within \pm 30 seconds of the continuing calibration IS retention times. All area counts were within 50 % to 200 % of the continuing calibration area counts.

10. Precision and Bias Determination: Not Performed.

Samples necessary to determine precision and bias were not provided to the laboratory. All results were flagged "PND" (Precision Not Determined) and "RND" (Recovery Not Determined), although the flags do not appear on the data sheets.

11. Performance Evaluation Sample Analysis: Not Provided.

Performance evaluation samples were not provided to the laboratory.

12. Overall Assessment of Data for Use

The reviewer used professional judgment to apply a single bias qualifier when more than one bias qualifier was applicable to an individual estimated sample result.

The overall usefulness of the data is based on the criteria outlined in the Site-Specific Sampling Plan, the OSWER Guidance Document "Quality Assurance/Quality Control Guidance for Removal Activities, Sampling QA/QC Plan, and Data Validation Procedures" (EPA/540/G-90/004), the analytical

method, and, when applicable, the Office of Emergency and Remedial Response Publication "USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review". Based upon the information provided, the data are acceptable for use with the above stated data qualifications.

Data Qualifiers and Definitions

- U The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- JH The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with a high bias.
- JL The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with a low bias.
- JK The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with an unknown direction of bias.
- JQ The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample with an unknown direction of bias and falls between the MDL and the Minimum (or Practical) Quantitation Limit (MQL, PQL).
- N The analysis indicates the present of an analyte for which there is presumptive evidence to make a "tentative identification".
- NJ The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.
- UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company:

Ecology and Environment, Inc.

Address:

720 Third Ave

Suite 1700 Seattle, Washington 98104

Contact:

Mr. Steve Hall

Project:

Project No. 4500000347

Client Sample ID: Sample ID: Matrix:

12060076 308397001

Soil

Collect Date:

Receive Date:

21-JUL-12 09:00 24-JUL-12

Collector:

Client

Moisture:

23.2%

Parameter	Qualifier	Result	RL	Units	DF	Analyst Date	Time Batch	Method
Semi-Volatile-GC/MS						,		
SW846	tile Analysis "D	ry Weight Corrected"						/11
1,1'-Biphenyl	νÜ	ND	433 U	ug/kg	1	JLD1 07/25/12	2 1712 123229	2 1 54
1,2,4,5-Tetrachlorobenzene	U	ND	433	ug/kg	1			
l-Methylnaphthalene	ď	ND	43.3	ug/kg	1			•
2,3,4,6-Tetrachlorophenol	ď	ND	433	ug/kg	1			
2,4,5-Trichlorophenol	. ŭ	ND	433	ug/kg	1			
2,4,6-Trichlorophenol	ս	ND	433	ug/kg	1			
2,4-Dichlorophenol	ט ו	ND	433	ug/kg	1			
4-Dimethylphenol	ט ו ט	ND	433	ug/kg	1			
2,4-Dinitrophenol	∙υ\	ND	· 866	ug/kg	1		•	- 1
2,4-Dinitrotoluene	υ \	ND	433	ug/kg	1			- 1
2,6-Dinitrotoluene	υ \	ND	433	ug/kg	1			- 1
2-Chloronaphthalene	ע '	ND	43.3	ug/kg	1			- 1
2-Chlorophenol	Ū \	ND	433	ug/kg	1			- 1
-Methyl-4,6-dinitrophenol	Ū \	ND	433	ug/kg	1			
-Methylnaphthalene	Ū \	ND	43.3	ug/kg	1			j
-Nitrophenol	Ū \	ND	433	ug/kg	1			
,3'-Dichlorobenzidine	Ū \	ND	433	ug/kg	1			1 .
l-Bromophenylphenylether	Ū \	ND	433	ug/kg	1			j
l-Chloro-3-methylphenol	Ū	ND	433	ug/kg	1			1
-Chloroaniline	Ū	/ ND	433	ug/kg	1			1
1-Chlorophenylphenylether	U	\ ND	433	ug/kg	1			
I-Nitrophenol	υ	ND	433	ug/kg	1			1
Acenaphthene	U	ND	43.3	ug/kg	1			- 1
cenaphthylene	U	ND	43.3	ug/kg	1			1
cetophenone	U	ND	433	ug/kg	1		•	· 1
inthracene	U	ΝD	43.3	ug/kg	1			
Atrazine	υ	ир	433	ug/kg	1			- 1
Benzaldehyde	U	NIPIN	433 🎶	ug/kg	1		•	ļ
Benzo(a)anthracene		402	43.3	ug/kg	1			
lenzo(a)pyrene	U	ND .	43.3	ug/kg	1			l
enzo(b)fluoranthene	U _	NDWO-11	43.3 Ŭ	ug/kg	1			
enzo(ghi)perylene		126 JH	43.3	ug/kg	1	•		}
Benzo(k)fluoranthene	~~U~	ND	43.3	ug/kg	1			ſ
Butylbenzylphthalate	Ū	ND	433	ug/kg	1			1
aprolactam	Ū	ND	433	ug/kg	Ī			. [
Carbazole	Ū	NDYNU	43.3	ug/kg	1			A 17
Chrysene	-	629	43.3	ug/kg	1			V

Report Date: July 27, 2012

ECOL00801 ECOL008

Project: Client ID:

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company: Ecology and Environment, Inc.

Address:

720 Third Ave

Suite 1700

Seattle, Washington 98104

Contact:

Mr. Steve Hall

Project:

Project No. 4500000347

Report Date: July 27, 2012

	Client Sample ID: Sample ID:	12060076 308397001			Project: Client ID	ECOL0080 : ECOL008	1		
Parameter	Qualifier	Result	RL	Units	DF	Analyst Date	Time	Batch	Method
Semi-Volatile-GC/MS									C. (11
SW846 3550C/8270D Sem	ivolatile Analysis "Di	y Weight Corrected"						, (V/44/
Di-n-butylphthalate	λŪ	ND	433	ug/kg	1			L	$\mathcal{F}(\mathbf{W}^{\gamma})$
Di-n-octylphthalate	Ū	ND	433	ug/kg	1				1
Dibenzo(a,h)anthracene	. b	ND	43.3	ug/kg	1				1
Dibenzofuran	Ъ	ND	433	ug/kg	1				1
Diethylphthalate	υ\	ND	433	ug/kg	• 1	•			
Dimethylphthalate	Ū 🖊	ND	433	ug/kg	1				
Diphenylamine	U \	ND	433	ug/kg	1				1'
Fluoranthene	· U \	ND	43.3	ug/kg	1				- 1
Fluorene	U -\	ND	43.3	ug/kg	1				1
Hexachlorobenzene	υ \	ND	433	ug/kg	1				- 1
Hexachlorobutadiene	υ. \	ND	433	ug/kg	1				- 1
Hexachlorocyclopentadien	e U	ND	433	ug/kg	1	•			- 1
Hexachloroethane	Ū	ND	433	ug/kg	1				- 1
Indeno(1,2,3-cd)pyrene	บั	ND .	43.3	ug/kg	1				j
Isophorone	. U	ND	433	ug/kg	1				1
N-Nitrosodipropylamine	U	/ND	433	ug/kg	1				- 1
Naphthalene	U	ND	43.3	ug/kg	I				
Nitrobenzene	U	Ŋ D	433	ug/kg	1				
Pentachlorophenol	U	W ØN	433	µg/kg .	1				1
Phenanthrene		2940	43.3	ug/kg	1				ļ
Phenol	-U	ND(M)	433 U	ug/kg	1				ĺ
Pyrene		2660	43.3	ug/kg	1				ŀ
bis(2-Chloroethoxy)methan	ne VU	ND	433 (,)	ug/kg	1				į
bis(2-Chloroethyl) ether	Ŋ	ND	433 🐧	ug/kg	. 1				1 .
bis(2-Chloroisopropyl)ethe		ND	433	ug/kg	1				ļ
bis(2-Ethylhexyl)phthalate	U 🔪	ND	433	ug/kg	1		•		. [
m,p-Cresols	Ų 🔪	ND	433	ug/kg	1				1
m-Nitroaniline	Ú \	ND	433	ug/kg	1				1
o-Cresol	υ \	ND	433	ug/kg	1				- 1
o-Nitroaniline	U	ND	433	ug/kg	1				. 17
p-Nitroaniline	U	Mar	433	ug/kg	1				W/
The following Prep Meth	iods were performed	i 1							V V
Method	Description		Analyst	Date	Ti	me Prep Ba	tch		

MXS4

1915

1232290

07/24/12

Analyst Comments

MW 8-317.

SW846 3550C/8270D

Description

The following Analytical Methods were performed

3550C BNA Soil Prep for 8270D

SW846 3550C

Method

1

GEL LABORATORIES LLC 2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company: Ecology and Environment, Inc.

Address:

720 Third Ave

Suite 1700

Seattle, Washington 98104 Mr. Steve Hall

Contact:

Project:

Project No. 4500000347

Client Sample ID:

12060076

Project:

ECOL00801

Report Date: July 27, 2012

	Sample ID:	308397001	Client ID: ECOL008							
Parameter	Qualifier	Result	RL	Units	DF A	nalyst Date	Time Batch Method			
Surrogate/Tracer recover	y Test			Result	Nomin	al Recover	y% Acceptable Limits			
2-Fluorobiphenyl	SW846 3550C/8 Weight Correcte	3270D Semivolatile Analysis "Dry		1010 ug/k	g 2	160 46.9	(24%-106%)			
Nitrobenzene-d5	SW846 3550C/8 Weight Correcte	3270D Semivolatile Analysis "Dry d"		1120 ug/k	g 2	160 51.9	(22%-124%)			
p-Terphenyl-d14	SW846 3550C/8 Weight Correcte	3270D Semivolatile Analysis "Dry d"	7	1880 ug/k	g 2	160 86.9	(24%-137%)			
2,4,6-Tribromophenol	SW846 3550C/8 Weight Correcte	3270D Semivolatile Analysis "Dry d"		2160 ug/k	g 4	330 49.8	3 (23%-124%)			
2-Fluorophenol	SW846 3550C/8 Weight Correcte	270D Semivolatile Analysis "Dry d"		1890 ug/k	g 4.	330 43.7	(27%-112%)			
Phenol-d5	SW846 3550C/8 Weight Correcte	270D Semivolatile Analysis "Dry d"		1720 ug/kg	g 4:	39.8	(26%-112%)			

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: July 27, 2012

ECOL00801

ECOL008

Project: Client ID:

Company:

Ecology and Environment, Inc.

Address:

720 Third Ave

Suite 1700 Seattle, Washington 98104

Contact:

Mr. Steve Hall

Project:

Project No. 4500000347

Client Sample ID: Sample ID:

12060077 308397002

Matrix:

Soil

Collect Date:

21-JUL-12 09:15

Receive Date: Collector:

24-JUL-12

Moisture:

Client 23.9%

Parameter	Qualifier	Result	RL	Units	DF	Analy	st Date	Time	Batch	Method
Semi-Volatile-GC/MS										
SW846 3550C/8270D Semivolat	ile Analysis "D	ry Weight Corrected"								Ct1
1,1'-Biphenyl	W)	ND	438	ug/kg	1	JLD1	07/25/12	1737	1232292	1.541
1,2,4,5-Tetrachlorobenzene	\mathcal{L}	ND	438	ug/kg	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	V11-411-	. 1,5,	1232274	・・ノハ
1-Methylnaphthalene	\mathcal{T}_{Γ}	ND	43.8	ug/kg	1					
2,3,4,6-Tetrachlorophenol	Π	ND	438	ug/kg	. î					. /
2,4,5-Trichlorophenol	ŭ\	ND	438	ug/kg	î					- 1
2,4,6-Trichlorophenol	ŭ \	ND	438	ug/kg	î					- 1
2,4-Dichlorophenol	ŭ \	ND	438	ug/kg	î					- 1
2,4-Dimethylphenol	ŭ·\	ND	438	ug/kg	ī				-	- 1
2,4-Dinitrophenol	ŭ \	ND	875	ug/kg	ī					- 1
2,4-Dinitrotoluene	ŭΙ	ND	438	ug/kg	î					- 1
2,6-Dinitrotoluene	ŭΙ	ND	438	ug/kg	î					:.1
2-Chloronaphthalene	ŭΙ	ND	43.8	ug/kg	ĵ					- 1
2-Chlorophenol	Ŭ · \	ND	438	ug/kg	1					- 1
2-Methyl-4,6-dinitrophenol	ΰ	ND	438	ug/kg	1					ſ
2-Methylnaphthalene	Ü	ND	43.8	ug/kg	ī					- 1
2-Nitrophenol	Ū	ND	438	ug/kg	1					- 1
3.3'-Dichlorobenzidine	Ū	ND	438	ug/kg	ī					- 1
4-Bromophenylphenylether	Ū	ND	438	ug/kg	-1					1
4-Chloro-3-methylphenol	Ū	ND	438	ug/kg	1					- 1
4-Chloroaniline	Ū	ND	438	ug/kg	1					1
4-Chlorophenylphenylether	Ū	ND	438	ug/kg	1					1
4-Nitrophenol	Ū	ND	438	ug/kg	. 1					!
Acenaphthene	Ü.	ND	43.8	ug/kg	1					ł
Acenaphthylene	Ū	ND	43.8	ug/kg	1					ł
Acetophenone	Ū	ND	438	ug/kg	1					ĺ
Anthracene	Ū	ND	43.8	ug/kg	1					ļ
Atrazine	Ū	ИD	438	ug/kg	1					!
Benzaldehyde	Ū	My GIA	438	ug/kg	î					l
Benzo(a)anthracene	-	251	43.8	ug/kg	í					}
Benzo(a)pyrene	V	ND	43.8	ug/kg	1					1
Benzo(b)fluoranthene	Ū,	ND	43.8	ug/kg	1					- 1
Benzo(ghi)perylene	Ŭ	ND	43.8	ug/kg	ī					1
Benzo(k)fluoranthene	ΰ	ND	43.8	ug/kg	ī					I
Butylbenzylphthalate	Ŭ	ND	438	ug/kg	1					- 1
Caprolactam	Ŭ	ND I	438	ug/kg	Î					. 1
Carbazole	Ŭ	MEM	43.8	ug/kg	ĵ					M.
Chrysene	Ü	384	43.8	ug/kg	î					V

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company: Ecology and Environment, Inc.

Address:

720 Third Ave

Suite 1700

Seattle, Washington 98104

Contact:

Mr. Steve Hall

Project:

Project No. 4500000347

Report Date: July 27, 2012

·	Client Sample ID: Sample ID:	12060077 308397 <u>0</u> 02			Project: Client ID	ECOL0080 ECOL008	1		
Parameter	Qualifier 1	Result	RL	Units	ÐF	Analyst Date	Time	Batch	Method
Semi-Volatile-GC/MS									
SW846 3550C/8270D Semi	ivolatile Analysis "Dry	Weight Corrected"	. 1	•					$\mathfrak{I}(1/M)$
Di-n-butylphthalate	U	ND	438	ug/kg	1			i i	24W''
Di-n-octylphthalate	dr dr	ND	438	ug/kg	1			V	` ` F
Dibenzo(a,h)anthracene	b	ND	43.8	ug/kg	1				- 1
Dibenzofuran	υ \	ND	438	ug/kg	1				- 1
Diethylphthalate	υ\	ND	438	ug/kg	1				ţ
Dimethylphthalate	υ \	ND	438	ug/kg	1				l l
Diphenylamine	υ \	ND	438	ug/kg	1				j
Fluoranthene	υ \	ND	43.8	ug/kg	1				
Fluorene	ע \	ND	43.8	ug/kg	1				1
Hexachlorobenzene	ע /	ND	438	ug/kg	1				1 .
Hexachlorobutadiene	u \	ND	438	ug/kg	1				- 1
Hexachlorocyclopentadiene	• U \	ND	438	ug/kg	1				- 1
Hexachloroethane	Ŭ \	ND	438	ug/kg	1				- 1
Indeno(1,2,3-cd)pyrene	U ./	ND	43.8	ug/kg	1				- 1
Isophorone	υ,	ND	438	ug/kg	1				- 1
N-Nitrosodipropylamine	U	ND	438	ug/kg	1				- !
Naphthalene	U	MD	43.8	ug/kg	1				
Nitrobenzene	U	ŊD	438	ug/kg	1	-			1
Pentachlorophenol	U	MM KIN	4384	ug/kg	1				\
Phenanthrene	_	1880	43.8	ug/kg	1				j.
Phenol	, O	-ND VQV	438 U	ug/kg	· I				- 1
Pyrene		1110	43.8	ug/kg	I				ļ
bis(2-Chloroethoxy)methan		ND	438√	ug/kg	1				- 1
bis(2-Chloroethyl) ether	Ū	ND	438	ug/kg	1.				- 1
bis(2-Chloroisopropyl)ether	`	ND	438	ug/k g	1				-1
bis(2-Ethylhexyl)phthalate	U 🔪	ND	438	ug/kg	1				
m,p-Cresols	U 🔪	ND	438	ug/kg	' 1				1
m-Nitroaniline	u 🔪	ND	438	ug/kg	1				Í
o-Cresol	'	ND	438	ug/kg	1				1
o-Nitroaniline	U	MD	438	ug/kg	I	В		\	W.
p-Nitroaniline	υ	NIJAM	438 🖤	ug/kg	1			`	₩

The following Analytical Methods were performed

Description

3550C BNA Soil Prep for 8270D

The following Prep Methods were performed

Analyst Comments Method Description 1 SW846 3550C/8270D

Analyst

MXS4

Date

07/24/12

Time

1915

Prep Batch

1232290

Method

SW846 3550C

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company:

Ecology and Environment, Inc.

Address:

720 Third Ave

Suite 1700

Seattle, Washington 98104

Contact:

Mr. Steve Hall

Project:

Project No. 4500000347

Report Date: July 27, 2012

Client Sample ID:

12060077

Project:

ECOL00801

Sa	ample ID:	308397002		Cli	ient ID:	ECOL008	
Parameter	Qualifier	Result	RL	Units	DF Ana	ilyst Date	Time Batch Method
Surrogate/Tracer recovery	Test			Result	Nominal	Recovery	% Acceptable Limits
2-Fluorobiphenyl	SW846 3550C/ Weight Correct	8270D Semivolatile Analysis "Dry ed"		916 ug/kg	2190	41.9	(24%-106%)
Nitrobenzene-d5	SW846 3550C/ Weight Correct	8270D Semivolatile Analysis "Dry ed"		950 ug/kg	2190	43.4	(22%-124%)
p-Terphenyl-d14	SW846 3550C/ Weight Correct	8270D Semivolatile Analysis "Dry ed"		1360 ug/kg	2190	62.2	(24%-137%)
2,4,6-Tribromophenol	SW846 3550C/ Weight Correct	8270D Semivolatile Analysis "Dry ed"		1790 ug/kg	4380	40.9	(23%-124%)
2-Fluorophenol	SW846 3550C/3 Weight Correcte	3270D Semivolatile Analysis "Dry ed"		1490 ug/kg	4380	34.1	(27%-112%)
PhenoI-d5	SW846 3550C/ Weight Correcte	3270D Semivolatile Analysis "Dry ed"		1380 ug/kg	4380	31.6	(26%-112%)

Mw John